The Community Climate System Model and Ice Sheets

Peter Gent
Chairman
CCSM Scientific Steering Committee

Evolution of the CCSM


J. Climate, 1998 (Boville and Gent, 1998) **CSM 1.0**

June 1996

Evolution of the CCSM



Evolution of the CCSM



• 26 papers

- > SSC (1)
- > Atmosphere Model (6)
- Ocean Model (4)
- ➤ Land Model (2)
- Climate Change (2)
- ➤ Climate Variability (4)
- ➤ Polar Climate(4)
- > Paleoclimate (3)

• 510 pages

Authorship

- > 51 NCAR
- > 48 External

J. Climate Special Issue devoted to CCSM3: Vol 19, No 11, June 1, 2006



The International Journal of High Performance Computing Applications


Objectives


- ➤ Describe Software Engineering for climate models
- ➤ Document performance and portability
- 13 papers published in Fall
 2005, Volume 19, Number 3





- > 32 External
- ➢ 9 NCAR













Management of the CCSM Project

- Run by the Scientific Steering Committee, which has 12 members, 6 from NCAR and 6 from Universities and DOE laboratories.
- Currently there are 11 Working Groups, each with an internal and external cochair.
- The new WG started at the 2008 CCSM Workshop was the Whole Atmosphere Community Climate Model (WACCM).


Arctic Sea Ice Concentration




Arctic Sea Ice Concentration




Arctic Sea Ice Concentration



September is mostly ice free by 2050 for A1B scenario






CCSM3 - Fully Coupled July 1992

NCAR


NASATeam SSM/I July 31, 1992


USGS





Future Projections of the North Atlantic Overturning Circulation







Why does the CCSM need a land ice model?

- There is the obvious answer that land ice melting contributes to the local and global sea level rise.
- There have been an UNCOUNTABLE NUMBER of North Atlantic hosing experiments done with climate models during the last decade, using much computer time.
- EXTREMELY FEW of these have used a realistic input distribution of the fresh water in space and time.
- A good land ice model for Greenland would allow the CCSM to simulate this aspect of climate change well.


Expected Configuration of CCSM4






Hansen and Sato, 2001

Expected Configuration of CCSM4





Hansen and Sato, 2001

What needs to be done in the next year?

- The individual components of CCSM4 need to be finalized: the deadline is September 30.
- Then CCSM4 needs to be finalized; usually takes a few months, and 1870 control and 20th century runs made.
 Need high-res and low-res versions as well.
- Need to determine how best to initialize 20th and 21st century runs for the carbon cycle, especially the ocean.
- Need to get much more experience with short-term simulations – do we have the correct format, what difference does initializing the ocean make, etc?

• Immediately said the CCSM project was not funding his component well enough.

- Immediately said the CCSM project was not funding his component well enough.
- Said the ocean component needed to predict temperatures on the shelves near Antarctica.

- Immediately said the CCSM project was not funding his component well enough.
- Said the ocean component needed to predict temperatures on the shelves near Antarctica.
- He is ready to blame another component if land ice component gives wrong results!!

- Immediately said the CCSM project was not funding his component well enough.
- Said the ocean component needed to predict temperatures on the shelves near Antarctica.
- He is ready to blame another component if land ice component gives wrong results!!
- This guy fits right into the CCSM project!!

- Immediately said the CCSM project was not funding his component well enough.
- Said the ocean component needed to predict temperatures on the shelves near Antarctica.
- He is ready to blame another component if land ice component gives wrong results!!
- This guy fits right into the CCSM project!!